



## Case and Ingersoll ATTACHMENT MATCHING CHART

Attachment Matching Chart for <b>Early Case Compact Tractors</b> - These attachments can be used with these models												
Attachment Model	108	118	210	220	222	224	444	446	664	646		
<b>Mowers</b>												
J41 34"	•	•										
J40 38"			•	•	•	•						
J44 44"			•	•	•	•	•	•	•	•		
J48 48"					•	•	•	•	•	•		
<b>Utility Blades</b>												
G51 38"	•	•										
H50 44"			•	•	•	•						
H54 54"					•	•	•	•				
<b>Sweepers</b>												
H90 Lawn Sweeper	•	•	•	•	•	•	•	•	•	•		
<b>Snow Blowers</b>												
J81 32"	•	•										
J80 38"			•	•	•	•						
J84 48"					•	•	•	•				
<b>Dump Cart</b>												
E60 1000 lb. Cap	•	•	•	•	•	•	•	•	•	•		
E65 Side Board Kit	•	•	•	•	•	•	•	•	•	•		
<b>Accessories</b>												
D4 Chrome Hub Caps			•	•	•	•						
LT20 Pallet Forks									•	•		
J6 Headlight Kit	•	•										
J30 Hydraulic Lift Kit				•	•	•						
<b>Hitches</b>												
H22 Sleeve Hitch				•	•	•						
H24 Sleeve Hitch							•	•				
H26 Category "0" 3 Point							•	•				
F27 Sleeve Adapter (for H26 & LT26)							•	•	•	•		
LT26 Category "0" 3 Point									•	•		
Refer to Note Below (nb): nb1												



## Case and Ingersoll ATTACHMENT MATCHING CHART

Attachment Matching Chart for **Early Case Compact Tractors** - These attachments can be used with these models cont.

Attachment Model	108	118	210	220	222	224	444	446	664	646			
<b>Tillers</b>													
H70 41" (Hydraulic Tiller)				•	•	•	•	•	•	•			
J72 41" (Mechanical Tiller)			•										
Refer to Note Below (nb): nb2													
J19 Flow Control Kit				•	•	•	•	•					
<b>P.T.O.'s</b>													
J17 Hydraulic P.T.O.				•	•	•	•	•					
LT17 Hydraulic P.T.O.									•				
LT16 Hydraulic P.T.O.										•			
<b>Weights</b>													
D8 For 12" Wheels			•	•	•	•							
D10 For 15" and 16" Wheels							•	•	•	•			
G14 Rear Weight Box	•	•											
H18 Front Weight Kit			•	•	•	•	•	•					
H13 Weight Box Front or Rear			•	•	•	•	•	•					
<b>Chains</b>													
LT15 For 15" Tires									•	•			
D12 For 12" Tires			•	•	•	•							
E16 For 16" Tires							•	•					
G15 For 8" Tires	•	•											

nb1: All Sleeve Hitches require hydraulic lift on tractor.

nb2: (1) Tiller mounts on tractor with sleeve hitch or 3 point hitch with adapter.

(2) Tillers require the installation of J17 hydraulic P.T.O.

(3) Mounting bracket is included with mechanical tiller.

nb3: Rear discharge.

nb4: Requires hydraulic P.T.O. and 3-point hitch.

nb5: Contains four weight discs (2 per wheel).

nb6: Uses D10 weight discs.

nb7: Hylift models only.



## Case and Ingersoll ATTACHMENT MATCHING CHART

Attachment Matching Chart for **Early Ingersoll Compact Tractors** - These attachments can be used with these models

Attachment Model	80	108	110	116	210	220	222	224	226	444	446	448	648
<b>Mowers</b>													
N41 34"		•	•	•									
M40 38"					•	•	•	•	•				
M44 44"					•	•	•	•	•	•	•	•	•
M45 44" nb3					•	•	•	•	•	•	•	•	•
M47 44" nb3			•	•									
M46 48"								•	•	•	•	•	•
M48 60"											•	•	
M43 30"	•												
<b>Utility Blades</b>													
J51 38"		•	•	•									
L50 44"					•	•	•	•	•				
L54 54"								•	•	•	•	•	
<b>Sweepers</b>													
R90 Lawn Sweeper	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>Snow Blowers</b>													
R81 32"		•	•	•									
R80 38"					•	•	•	•	•				
R84 48"								•	•	•	•	•	
<b>Log Splitters</b>													
K31						•	•	•	•	•	•	•	
L32 nb4										•	•	•	•
L34						•	•	•	•	•	•	•	
K36						•	•	•	•	•	•	•	•
<b>Dump Cart</b>													
G60	•	•	•	•	•	•	•	•	•	•	•	•	•
G62	•	•	•	•	•	•	•	•	•				
Side Board Kit (for G60)	•	•	•	•	•	•	•	•	•	•	•	•	•
Conestoga Top (for G60)	•	•	•	•	•	•	•	•	•	•	•	•	•



## Case and Ingersoll ATTACHMENT MATCHING CHART

**Attachment Matching Chart for Early Ingersoll Compact Tractors - These attachments can be used with these models cont.**

Attachment Model	80	108	110	116	210	220	222	224	226	444	446	448	648
<b>Accessories</b>													
Chrome Hub Caps D4					•	•	•	•	•				
Pallet Forks LL20													•
Hydraulic Lift Kit J30						•							
Thatcher M92	•												
Bagger M91	•												
Stand-up Kit M93	•												
Holding Valve L7						•	•	•	•				
Holding Valve N9										•	•	•	
540 P.T./ L29					•	•	•	•	•	•	•	•	
<b>Tires</b>													
G2L-L.C. Turf					•	•	•	•	•				
G1L-L.C. Lug					•	•	•	•	•				
G2H-H.C. Turf										•	•	•	
G1H-H.C. Lug										•	•	•	
2480 10HP Wing Mower											•	•	
2486 16HP Wing Mower											•	•	
<b>Hitches</b>													
J21 Sleeve Hitch					•								
K22 Sleeve Hitch nb1						•	•	•	•				
K24 Sleeve Hitch										•	•	•	
J26 Category "0" 3 Point										•	•	•	
LT26 Category "0" 3 Point													•
F27 Sleeve Adapter (for H26 & LT26)										•	•	•	•
Refer to Note: nb1													
<b>Tillers</b>													
L75 32" (Hydraulic Tiller)						•	•	•	•				
L74 41" (Hydraulic Tiller)						•	•	•	•	•	•	•	•
K72 41" (Mechanical Tiller)					•								
Refer to Note: nb2													
M19 Flow Control Kit						•	•	•	•	•	•	•	



## Case and Ingersoll ATTACHMENT MATCHING CHART

**Attachment Matching Chart for Early Ingersoll Compact Tractors - These attachments can be used with these models cont.**

Attachment Model	80	108	110	116	210	220	222	224	226	444	446	448	648
<b>P.T.O.'s</b>													
L17 Hydraulic P.T.O.										•	•	•	
J17 Hydraulic P.T.O.						•	•	•	•				
LT16 Hydraulic P.T.O.													•
<b>Weights</b>													
K8 For 12" Wheels					•	•	•	•	•				
K10 For 16" Wheels										•	•	•	
D10 For 15" Wheels <b>nb5</b>													•
G14 Rear Weight Box		•	•	•									
H18 Front Weight Kit <b>nb6</b>					•	•	•	•	•	•	•	•	
H13 Weight Box Front or Rear					•	•	•	•	•	•	•	•	
L11 Weight Kit					•	•	•	•	•	•	•	•	
LL13 Weight Box													•
<b>Chains</b>													
LT15 For 15" Tires													•
D12 For 12" Tires					•	•	•	•	•				
E16 For 16" Tires										•	•	•	
G15 For 8" Tires		•	•	•									
<b>Cabs</b>													
K1 <b>nb7</b>						•	•	•	•				
K2										•	•	•	

**nb1:** All Sleeve Hitches require hydraulic lift on tractor.

**nb2:** (1) Tiller mounts on tractor with sleeve hitch or 3 point hitch with adapter.  
 (2) Tillers require the installation of J17 hydraulic P.T.O.  
 (3) Mounting bracket is included with mechanical tiller.

**nb3:** Rear discharge.

**nb4:** Requires hydraulic P.T.O. and 3-point hitch.

**nb5:** Contains four weight discs (2 per wheel).

**nb6:** Uses D10 weight discs.

**nb7:** Hylift models only.



## Case and Ingersoll ATTACHMENT MATCHING CHART

Attachment Matching Chart for **Late Ingersoll Compact Tractors** - These attachments can be used with these models

Attachment Model	300	3000	4000	6020L	7020L								
<b>Mowers</b>													
RM44LGT 44"	•	•	•										
RM44 44"		•	•										
RM44GR 44" nb3		•	•										
RM48 48"		•	•										
RM60 60" (Timed)			•										
HC48-3 48" nb8		•	•										
MK44 Mulching Kit for RM44	•	•	•										
HC48-2 Mulching Kit for RM48 & AHRM48		•	•										
<b>Snow Equipment</b>													
UB44-1 44" Utility Blade	•	•	•										
UB54-1 54" Utility Blade		•	•										
SB38G 38" Snow Blower nb17		•											
SB42 42" Snow Blower nb17	•	•											
SB48 48" Snow Blower nb17		•	•										
CB34 Tractor Cab		•	•										
<b>Tillers</b>													
HT41 41" nb8, 10, 11		•	•										
SS74 Stub Shaft Kit Reduces 41" tiller to 38"		•	•										
<b>Yard Cleanup</b>													
AHSWD Log Splitter nb8, 20		•	•										
HVFB Hydrabagger nb8, 12, 16		•	•										
HVFC Hydravac, Trailer Vac nb8, 12, 14, 16		•	•										
DC1000 Dump Cart	•	•	•										
SW38 38" Tow Behind Sweeper	•	•	•										
<b>Hitches</b>													
F27 Sleeve Adapter nb13		•	•	•	•								
K22-1 Sleeve Hitch, 3000 Series nb21		•											
K24-1 Sleeve Hitch, 4000 Series nb21			•										
HLK34 Hitch Limiting Kit		•	•										
HH-34 Category "0" 3 Point		•	•										
<b>P.T.O.'s</b>													
HP31 Hydraulic P.T.O. Kit nb15		•											



## Case and Ingersoll ATTACHMENT MATCHING CHART

Attachment Matching Chart for **Late Ingersoll Compact Tractors** - These attachments can be used with these models cont.

Attachment Model	300	3000	4000	6020L	7020L								
HP32 Hydraulic P.T.O. Kit <b>nb15</b>		•											
HP41 Hydraulic P.T.O. Kit <b>nb15</b>			•										
HP42 Hydraulic P.T.O. Kit <b>nb15</b>			•										
HP3 Hydraulic P.T.O. Kit <b>nb15</b>		•											
HP4 Hydraulic P.T.O. Kit <b>nb15</b>			•										
HFC34C Flow Control Valve Kit <b>nb15</b>			•										
<b>Weights</b>													
H13 Weight Box Front and Rear mounted		•	•										
H18 Front Weight Bracket		•	•										
WW30W Wheel weights 3000 Series		•											
WW40 Wheel weights 4000 Series			•										
WW60 Rear Wheel Weights, 4 Cast Iron				•	•								
RWLGT Rear weight for 300 Series	•												
L11 Front Suitcase-Style Weight Kit		•	•										
<b>Tires</b>													
G1L 23 x 8.50 - 12 Lugs		•											
G2W 23 x 10.50 - 12 Turf		•											
G2H 8 x 16 Turf			•										
G1H 8 x 16 Lugs			•										
<b>Chains</b>													
J15 Tire Chains, 3000 Series	•	•											
E16 Tire Chains, 4000 Series			•										

**nb1:** All Sleeve Hitches require hydraulic lift on tractor.

**nb2:**

(1) Tiller mounts on tractor with sleeve hitch or 3 point hitch with adapter.

(2) Tillers require the installation of J17 hydraulic P.T.O.

(3) Mounting bracket is included with mechanical tiller.

**nb3:** Rear discharge.

**nb4:** Requires a hydraulic P.T.O. and 3-point hitch.

**nb5:** Contains four weight discs (2 per wheel).

**nb6:** Uses D10 weight discs.

**nb7:** Hylift models only.

**nb8:** Requires a hydraulic P.T.O.

**nb9:** Requires an HH-34 3-Point Hitch.

**nb10:** Requires either a Sleeve Hitch or HH-34 3-Point Hitch with F-27 Sleeve Adapter.

**nb11:** Flow Control Valve recommended.

**nb12:** Early models require Case Drain Kit.

**nb13:** Required to mount tiller to HH-34 3-Point Hitch.

**nb14:** Requires DC1000 Dump Cart.

**nb15:** May require Case Drain Kit if attaching hydraulic with three hydraulic lines.

**nb16:** Will not fit 60" Mower.

**nb17:** Order Kit #C54802 (ISP) to convert snowblower to 200/400 Series tractors.

**nb18:** Order Kit #C33229 to convert an S84 to an SB48.

**nb19:** Order Kit #C33228 to convert an S80 to an SB38.

**nb20:** Off-Seat switch kit is needed, order C42049 for B/S engines, or C42048 for Onan engines.

**nb21:** K22-1 & K24-1 fit all tractors, K22 & K24 fit tractors prior to Serial # 17193395.